

JTCWR340

Technical Data Sheet Jet-Text-Canvas 340WR

340 gr/m² woven Cotton-Polyester based Canvas Media for waterbased Inks

Product Characteristics

JET TEX CANVAS 320WR is made of a woven Cotton- Polyester-Structure for waterbased Inkjet Printing (Dye and pigmented).

Fully coated for very high Image Quality, excellent Tear Resistance and Flexible. Dimensionally and mechanically stabile, for all suitable Applications. The Coating enables high ink applications with very rapid drying.

High Colour-Brilliance and a satin finish after printing..

Available Roll Formats - 0,914m, 1,067m, 1,27m 1,37m und 1,54m width
Roll Length in - 15m available

Applications & Handling

Single Side has a special Top-Coating, enabling a high image quality. The coating is splash-water resistant, rapid drying no bleeding

Ideal for photo-imaging, fine-art reproduction and framed pictures

We recommend you perform a length calibration test before printing if possible



Physical Properties:

Raw.-Mat: PET/Cotton
Opacity: > 90%
Temp.-Resist.: -30° - + 50° C
Ghaugue/Weight: 340g/m²

Conditions of use/storage:

Operating Temp: 18° - 25° C
Rel. Humidity: 40% - 65%
Storage Time: min. 1 Years

PRINTING-Systems

Kompatibility

Piezo Printers Dye based Ink
Piezo Printers Pigment based Ink
Bubble Jet Printers Dye based Ink
Bubble Jet Printers Pigment based Ink
Eco-Solvent Printers
Hard-Solvent Printers
Uv-curable Printers



NOPAR International GmbH
Ludwig-Erhard-Str. 18

D-28197 Bremen
PHONE: +49 421 52081460
FAX: +49 421 52081469

For available printer, lamination & profile settings - Please contact:
info@nopar-international.com

Please note that all information supplied is correct to date of print, information can change without prior notification. This information does not release the manufacturer from his obligation with regard to proper application and handling of the product. All content is based on available technical knowledge at the time of publication.